

PTGA SERIES

Axial Exhaust Fans



PTGA series Axial Exhaust Fans are designed to provide optimal airflow and efficiency for residential and commercial applications.

Each fan housing and impeller are made of high-quality UV resistant ABS material and also includes an innovative blade design that maximizes airflow efficiency.





The fans also include a reliable low power motor for continuous operation and extended operating life.

PTGA series Axial Exhaust Fans can be directly mounted into the ventilation shaft and can also be connected via a flexible air duct with a clamp. Self-tapping screws can be used for installation into a wall.

Also suitable for ceiling mounting.

Protection Class: IP34

Model	Voltage/Freq (V/Hz)	Current (A)	Power (W)	Speed (RPM)	Airflow (CFM)	Airflow (m ³ /h)	Pressure (inH ₂ O)	Pressure (mmAq)	Pressure (Pa)	Weight (kg)
PTGA-150A	220~240V/50Hz	0.17	22	2350	118	201	0.22	5.59	54.74	1.0
	100~120V/60Hz	0.40	28	2350	118	201	0.22	5.59	54.74	
PTGA-150AE	100~120V/60Hz	0.06	7	2000	103	175	0.17	4.32	42.30	
PTGA-150B	220~240V/50Hz	0.19	28	2350	116	197	0.21	5.33	52.26	1.1
	100~120V/60Hz	0.44	31	2350	116	197	0.21	5.33	52.26	
PTGA-150BE	100~120V/60Hz	0.08	12	2000	101	172	0.16	4.06	39.81	
PTGA-150C	220~240V/50Hz	0.17	22	2350	174	295	0.20	5.08	49.77	1.0
	100~120V/60Hz	0.40	25	2350	174	295	0.20	5.08	49.77	
PTGA-150CE	100~120V/60Hz	0.06	7	2000	162	275	0.16	4.06	39.81	
PTGA-150D	220~240V/50Hz	0.17	22	2350	160	272	0.23	5.84	57.23	0.9
	100~120V/60Hz	0.40	25	2350	160	272	0.23	5.84	57.23	
PTGA-150DE	100~120V/60Hz	0.06	7	2000	139	237	0.17	4.32	43.30	



PTGA SERIES

Axial Exhaust Fans

